



Request for Quote

Page 1 of 1

STATE OF RHODE ISLAND AND PROVIDENCE PLANTATIONS
ONE CAPITOL HILL
PROVIDENCE RI 02908

CREATION DATE : 20-MAY-13
BID NUMBER: 7467387
TITLE: UNIVERSAL MOBILE BASE, BANDSAW

BLANKET START : 01-JUL-13
BLANKET END : 31-JAN-14
BID CLOSING DATE AND TIME: 11-JUN-2013 10:45:00

BUYER: Melillo, Charlotte A
PHONE #: 401-574-8110

B
I
L
L
T
O
CCRI CONTROLLER'S OFFICE
ACCOUNTS PAYABLE
400 EAST AVENUE
WARWICK, RI 02886
US

S
H
I
P
T
O
CCRI KNIGHT CAMPUS
400 EAST AVE
WARWICK, RI 02886-1807
US

Requisition Number: 1313078

Line	Description	Quantity	Unit	Unit Price	Total
1	7/1/13 - 1/31/14 PER ATTACHED RFQ 7467387 BID SPECIFICATIONS FOR QUESTIONS PERTAINING TO THIS BID, EMAIL charlotte.melillo@purchasing.ri.gov * JET 708118-JMB-UMB UNIVERSAL MOBILE BASE	4.00	Each		
2	DELTA MACHINERY-1-1/2 HP MOTOR DUST COLLECTOR	1.00	Each		
3	JET 708749B-JWBS-16B, 16" BANDSAW	2.00	Each		
4	JET 414550K-J-4210K 6" x 48" BELT & 10" DISC	2.00	Each		

Delivery: _____

Terms of Payment: _____

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer

RFQ 7467387 UNIVERSAL MOBILE BASE, BANDSAW

LOWER BLADE GUIDE. 10" RESAW CAPACITY FOR CUTTING LARGE PIECES OF WOOD, SLICING VENEERS, CUTTING BOOK MATCHED PANELS 17" x 17 CAST IRON TABLE SUPPORTS YOUR WORK MATERIAL. ADJUSTABLE REAR SUPPORT FOR WIDER FOOTPRINT AND MORE STABILITY. PRECISION COMPUTER BALANCED WHEELS ELIMINATE VIBRATION FOR ACCURATE BLADE TRACKING. RIGID, HEAVY-DUTY GUIDE POST WITH AND PINION ADJUSTMENT FOR EXTRA BLADE SUPPORT. ALL CAST IRON HANDWHEELS MAKE SMOOTH, EASY BLADE ADJUSTMENTS WITH LESS EFFORT. 3/4", 4 TPI WOODWORKING BLADES IS INCLUDED SO YOU START CUTTING RIGHT AWAY. 4" DUST PORT ALLOWS FOR DIRECT CONNECTION OF DUST COLLECTION SYSTEM. DIRECT-READING SCALE LETS YOU SELECT BLADE TENSION FOR WIDTHS UP TO 1-1/2". BANDSAW SIZE: 16". BLADE LENGTH: 123". BLADE SPEED: 3000 SFPM. BRAND: JET. CUTTING CAPACITY HEIGHT: 10" CUTTING CAPACITY WIDTH: 10 3/8". DUST COLLECTION MINIMUM CFM: 400 cu.ft/min DUST PORT OUTER DIAMETER: 4" HEIGHT: 71 inch. LENGTH: 30.75 inch. MAXIMUM SAW WIDTH: 1". MINIMUM SAW WIDTH: 1/8". MODEL NUMBER: JWBS-16B. MOTOR CURRENT: 11.5 / 5.8 A. MOTOR PHASE: 1 PH. MOTOR POWER: 1 HP. MOTOR VOLTAGE: 115 / 230 V. NET WEIGHT: 317 PUNDS. OVERALL DIMENSIONS: 71 x 22 x 30-3/4. PART#: 708749B. PREWIRED VOLTAGE: 115V. TABLE DIMENSION (LxW): 17 x 17". TABLE HEIGHT FROM FLOOR: 35". TABLE TILT: 10 LEFT, 45 RIGHT. WHEEL DIAMETER: 16". WIDTH: 22 INCH.

ADDITIONAL INFORMATION:

ONE BANDSAW NEEDS TO BE DELIVERED TO THE FLANAGAN CAMPUS. 1762 LOUISQUISSET PIKE, LINCOLN RI 02865
SECOND BANDSAW NEEDS TO BE DELIVERED TO THE WARWICK CAMPUS. 400 EAST AVE, WARWICK RI 02886.

JET 414550K-J-4210K 6" x 48" BELT & 10" DISC

SENDER, 1 HP. THE JET J-4210K IS AN ECONOMICAL COMBINETION BELT AND DISC SANDER. ITS 1 HP MOTOR CAN HANDLE THE MOST COMMON WORKSHOP SANDING TASKS. TWO CAST IRON TILTING TABLES FOR MITERING APPLICATIONS. FULL ACCESS TO THE BELT WHEN TILTED IN THE HORIZONTAL POSITION. DUST COLLECTION SHROUDS ON BELT AND DISC. QUICK-RELEASE TENSION MECHANISM MAKES BELT CHANGES QUICK AND EASY. REMOVABLE SAFETY KEY SWITCH. ECLOSED BASE PROTECTS FROM SANDING DUST. BELT SIZE: 6 x 48. BELT SPEED: 1650. BELT TABLE SIZE: 6 x 10-1/2. BELT TABLE TILT 45 OUT. DISC DIAMETER: 10. DISC SPEED: 2100. DISC TABLE SIZE: 7-1/2 x 13. HEIGHT: 57.5 INCH. LENGTH: 25.5 INCH. MACHINE DIMENSIONS: 23 x 26 x 61. MODEL#: J-4210K. MOTOR: 1HP, 115V. 1PH. NET WEIGHT 170 POUNDS. TABLE SLOTS: 5/8. WIDTH: 19 INCH.

ADDITIONAL INFORMATION:

ONE DISC SENDER NEEDS TO BE DELIVERED TO THE FLANAGAN CAMPUS. 1762 LOUISQUISSET PIKE, LINCOLN RI 02865

THE OTHER DISC SENDER NEEDS TO BE DELIVERED TO THE WARWICK CAMPUS. 400 EAST AVE. WARWICK RI 02886

RFQ 7467387 UNIVERSAL MOBILE BASE, BANDSAW

JET 708118-JMB-UMB UNIVERSAL MOBILE BASE

BRAND: JET. CAPACITY 600lbs. HEIGHT: 11.5 inch. LENGTH: 28.1 inch. NET WEIGHT: 21.95 pound. PART#: 708118. SIZE: (L x W) 18x18" TO 28x28" STYLE: HEAVY-DUTY. WIDTH: 5.3 inch. THE MOBILE BASE ADDS A NEW DIMENSION OF FLEXIBILITY TO YOUR JET MACHINES. EQUIPMENT PREVIOUSLY CONSIDERED IMMOVABLE CAN EASILY BE MOVED BY ONLY ONE PERSON-REARRANGE YOUR SHOP FOR SPECIAL PROJECTS IN JUST MINUTES. WITH 2 FIXED AND 2 SWIVEL CASTERS, THE ADJUSTABLE WIDTH AND LENGTH LET YOU CONFIGURE THE BASE TO THE TOOL FOR TOTAL SUPPORT AND PORTABILITY. SPRING-PIN SNAP ADJUSTMENT REQUIRES NO TOOLS FOR EASY ASSAMBLY ADJUSTABLE WIDTH AND LENGTH LET YOU CONFIGURE THE BASE TO THE TOOL FOR TOTAL SUPPORT AND PORTABILITY TWO FIXED AND TWO SWIVES CASTERS PROVIDE EASY MANEUVERABILITY. AVAILABLE IN HEAVY-DUTY OR HEAVY- DUTY STYLES TO MEET YOU'RE NEEDS.

ADDITIONAL INFORMATION

2 OF THESE ITEMS NEED TO BE DELIVERED TO THE FLANAGAN CAMPUS. 1762 LOUISQUISSET PIKE, LINCOLN RI 02865

THE OTHER TWO NEED TO BE DELIVERED TO WARWICK CAMPUS. 400 EAST AVENUE WARWICK RI 02886.

DELTA MACHINERY-1-1/2 HP MOTOR DUST COLLECTOR

1200 CFM. THE DELTA 50-760 1-1/2 HP MOTOR DUST COLLECTOR WITH 1200 CFM AND STANDARD 1 MICRON FILTRATION BAG KEEPS YOUR SHOP SAFER AND CLEANER. THE SNAP-IN BAG RINGS ARE FASTER, EASIER AND ELIMINATE THE NEED FOR CAM-OVER-LOCK STYLE CLAMPS. OUR POWERFUL TEFC INDUCTION MOTOR OFFERS LONG-LASTING, SMOOTH PERFORMANCE WITH PROTECTION FROM DAMAGING DUST USING THE 6 MIL PLASTIC CHIP COLLECTION BAG SHOWS YOU WHEN THE BAG NEEDS EMPTYING. STURDY STEEL BASE WITH FOUR EASY-GLIDING WHEELS MAKES MOVING FROM MACHINE TO MACHINE OR FOR STORING OUT OF THE WAY EASIER. INCLUDES MOTOR AND BLOWER. SUPPORT FRAME. 1 MICRON FILTRATION BAG WITH SEWN-IN BAG RING. (2) 6 MIL PLASTIC CHIP COLLECTION BAGS (1) SNAP-IN BAG RING. (2) 4" INTAKE PORTS. (4) SWIVEL CASTER ASSAMBLIES. CORD AND PLUG. MAX STATIC PRESSURE: 8 (INCHES OF WATER) IMPELLER DIAMETER: 11.5. FILTER BAG AREA: 20.5 sqM 1.9 sq m CHIP BAG AREA: 2.4 cu ft, 67 L. LENGTH: 35". WIDTH: 19". HEIGHT: 83". WEIGHT: 95lb.

ADDITIONAL INFORMATION: ITEM NEEDS TO BE DELIVERED TO THE FLANAGAN CAMPUS 1762 LOUISQUISSET PIKE, LINCOLN RI 02865

JET 708749B-JWBS-16B, 16" BANDSAW

THE ONE-OF-A-KIND JWBS-16B 16" BANDSAW WITH TSC HAS A TRINGULAR DESIGN PROVIDES SUPERIOR COLUMN RIGIDITY. THE TRIANGULAR COLUMN KEEPS THE BANDSAW FROM FLEXING AS ITS TACKLESS TOUGH APPLICATIONS. THE JWBS-16B IS PACKED WITH FEATURES SUCH AS THE EUROPEAN STYLE ADJUSTABLE CARBIDE BLADE GUIDES, 8-SPOKE COMPUTER BALANCED BAND WHEELS, DUAL LOCKING CABINET DOORS, BLADE TRACKING ADJUSTMENT WINDOW, AND MICRO-ADJUSTABLE

Contract Terms and Conditions

Table of Contents

Terms and Conditions.....VII

 BID STANDARD TERMS AND CONDITIONSVII

 TERMS AND CONDITIONS FOR THIS BIDVII

 PURCHASE AGREEMENT BIDVII

 RIVIP INFO - BID SUBMISSION REQUIREMENTSVII

 VENDOR SPECIFICATIONSVII

 DELIVERY PER AGENCYVII

Terms and Conditions

BID STANDARD TERMS AND CONDITIONS

TERMS AND CONDITIONS FOR THIS BID

PURCHASE AGREEMENT BID

BIDDING (a) A single price shall be quoted for each item against which a proposal is submitted. This price will be the maximum in effect during the agreement period. Any price decline at the manufacturer's level shall be reflected in a reduction of the agreement price to the State. (b) Quantities, if any, are estimated only. The agreement shall cover the actual quantities ordering during the period. Deliveries will be billed at the single, firm, awarded unit price quoted regardless of the quantities ordered. (c) Bid price is net F.O.B. destination and shall include inside delivery at no extra cost. (d) Bids for single items and/or a small percentage of total items listed, may, at the State's sole option, be rejected as being non-responsive to the intent of this request. **ORDERING** (a) The User Agency(s) will submit individual orders for the various items and various quantities as may be required during the agreement period. (b) Exception - Regardless of any agreement resulting from this bid, the State reserves the right to solicit prices separately for any extra large requirements for delivery to specific destinations.

RIVIP INFO - BID SUBMISSION REQUIREMENTS

It is the Vendor's responsibility to check and download any and all addenda from the RIVIP. This offer may not be considered unless a signed RIVIP generated Bidder Certification Cover Form is attached and the Unit Price column is completed. The signed Certification Cover Form must be attached to the front of the offer. When delivering offers in person to One Capitol Hill, vendors are advised to allow at least one hour additional time for clearance through security checkpoints.

VENDOR SPECIFICATIONS

ALL VENDORS MUST INCLUDE SPECIFICATIONS WITH BID PROPOSAL (EVEN THOSE BIDDING BRAND SPECIFIED). FAILURE TO SUBMIT SPECIFICATIONS WITH BID PROPOSAL MAY RESULT IN DISQUALIFICATION OF BID. ITEMS IN CATALOGS MUST BE CLEARLY MARKED AND PAGES TABBED.

DELIVERY PER AGENCY

DELIVERY OF GOODS OR SERVICES AS REQUESTED BY AGENCY.